

Contents

| | |
|--|-----|
| Introduction | vii |
| J.L.R. Touret and A.B. Thompson | |
| Fluid-absent melting and the roles of fluids in the lithosphere: a slanted summary? | 1 |
| G. Stevens and J.D. Clemens..... | |
| Experimental strategies for the investigation of low temperature properties in granitic and pegmatitic melts | 19 |
| D.B. Dingwell | |
| The role of melt in the uplift and exhumation of orogenic belts | 31 |
| L.S. Hollister..... | |
| Large-scale hydration of the lithosphere above subducting slabs | 49 |
| S.M. Peacock..... | |
| Metasomatism during subduction: products and possible paths in the Catalina Schist, California | 61 |
| G.E. Bebout and M.D. Barton..... | |
| Fluid-melt–rock interaction in mafic eclogites and coesite-bearing metasediments: Constraints on volatile recycling during subduction | 113 |
| P. Philippot | |
| N ₂ and CO ₂ in deep crustal fluids: evidence from the Caledonides of Norway | 133 |
| T. Andersen, H. Austrheim, E.A.J. Burke and S. Elvevold | |
| Titanium substitution in biotite: an empirical model with applications to thermometry, O ₂ and H ₂ O barometries, and consequences for biotite stability | 133 |
| A.E. Patiño Douce | |
| Scapolite phase equilibria and carbon isotopes: constraints on the nature and distribution of CO ₂ in the lower continental crust | 163 |
| D.P. Moecher | |
| Fluid control of charnockitization | 175 |
| L.L. Perchuk and T.V. Gerya..... | |
| The role of ultramafic rocks in regulating the concentrations of volatile and non-volatile components during deep crustal metamorphism | 187 |
| M.T. Rosing and N.M. Rose..... | |
| Paleoatmospheric consequences of CO ₂ released during early Cenozoic regional metamorphism in the Tethyan orogen | 201 |
| D.M. Kerrick and K. Caldeira | |

Contents

| | |
|--|-----|
| Introduction | vii |
| J.L.R. Touret and A.B. Thompson | |
| Fluid-absent melting and the roles of fluids in the lithosphere: a slanted summary? | 1 |
| G. Stevens and J.D. Clemens | |
| Experimental strategies for the investigation of low temperature properties in granitic and pegmatitic melts | 19 |
| D.B. Dingwell | |
| The role of melt in the uplift and exhumation of orogenic belts | 31 |
| L.S. Hollister | |
| Large-scale hydration of the lithosphere above subducting slabs | 49 |
| S.M. Peacock | |
| Metasomatism during subduction: products and possible paths in the Catalina Schist, California | 61 |
| G.E. Bebout and M.D. Barton | |
| Fluid-melt-rock interaction in mafic eclogites and coesite-bearing metasediments: Constraints on volatile recycling during subduction | 113 |
| P. Philippot | |
| N ₂ and CO ₂ in deep crustal fluids: evidence from the Caledonides of Norway | 133 |
| T. Andersen, H. Austrheim, E.A.J. Burke and S. Elvevold | |
| Titanium substitution in biotite: an empirical model with applications to thermometry, O ₂ and H ₂ O barometries, and consequences for biotite stability | 133 |
| A.E. Patiño Douce | |
| Scapolite phase equilibria and carbon isotopes: constraints on the nature and distribution of CO ₂ in the lower continental crust | 163 |
| D.P. Moecher | |
| Fluid control of charnockitization | 175 |
| L.L. Perchuk and T.V. Gerya | |
| The role of ultramafic rocks in regulating the concentrations of volatile and non-volatile components during deep crustal metamorphism | 187 |
| M.T. Rosing and N.M. Rose | |
| Paleoatmospheric consequences of CO ₂ released during early Cenozoic regional metamorphism in the Tethyan orogen | 201 |
| D.M. Kerrick and K. Caldeira | |

